Serial No. 10/600,401 67036-030 B05424-AT6B

IN THE CLAIMS:

- 1. (CURRENTLY AMENDED) A static structure for a miniature gas turbine engine comprising:
 - a forward housing;
 - a diffuser housing mounted to said forward housing; and
 - a combustor housing mounted to said diffuser housing; and
 - a forward cover mounted to said forward housing, said forward cover having an airflow passage defined within said forward cover, said airflow passage communicating airflow toward a first and a second rotor shaft bearing.
- 2. (WITHDRAWN) The static structure as recited in claim 1, further comprising an exhaust pipe mounted to said combustor housing.
- 3. (CURRENTLY AMENDED) The static structure as recited in claim 1, further for a miniature gas turbine engine comprising:
 - a forward housing;
 - a diffuser housing mounted to said forward housing:
 - a combustor housing mounted to said diffuser housing; and
- a combustor liner <u>mounted sandwiched</u> without fasteners between said diffuser housing and said combustor housing.
- 4. (WITHDRAWN) The static structure as recited in claim 1, further comprising a turbine nozzle mounted without fasteners between said diffuser housing and said combustor housing.
- 5. (ORIGINAL) The static structure as recited in claim 1, further comprising a lubrication passage defined within said forward housing, said lubrication passage communicating with a rotor shaft bearing.

Serial No. 10/600,401 67036-030 B05424-AT6B

- 6. (CURRENTLY AMENDED) The static structure as recited in claim—15, further comprising a metering jet in communication with said lubrication passage.
- 7. (ORIGINAL) The static structure as recited in claim 6, further comprising a rotor shaft driven pump which communicate a lubricant through said lubrication passage.
 - 8. (CANCELLED)
 - 9. (CANCELLED).
 - 10. (ORIGINAL) A miniature gas turbine engine comprising:
 - a forward cover defining an airflow passage;
 - a forward housing defining a first and a second lubrication passage;
 - a diffuser housing mounted to said forward housing;
 - a combustor housing mounted to said diffuser housing;
 - a forward rotor shaft bearing mounted adjacent said forward housing;
 - an aft rotor shaft bearing mounted adjacent said forward housing; and
 - a rotor shaft rotationally mounted to said forward and aft rotor shaft bearings, said rotor shaft defining an axis of rotation;
 - said first lubrication passage for communication of a lubricant toward said forward rotor shaft bearing;
 - said second lubrication passage for communication of said lubricant toward said aft rotor shaft bearing;
 - said airflow passage for communication of airflow generally parallel to said axis of rotation from said forward rotor shaft bearing toward said aft rotor shaft bearing.
- 11. (ORIGINAL) The engine as recited in claim 10, further comprising a metering jet within said forward housing and within each of said first and said second lubrication passage.

Serial No. 10/600,401 67036-030 B05424-AT6B

- 12. (ORIGINAL) The engine as recited in claim 10, further comprising a metering jet upstream and in communication with each of said first and said second lubrication passage.
- 13. (ORIGINAL) The engine as recited in claim 10, further comprising a pump driven by said rotor shaft to communicate a lubricant through said first and second lubrication passage.
- 14. (WITHDRAWN) The engine as recited in claim 10, further comprising an exhaust pipe welded to said combustor housing.
- 15. (CURRENTLY AMENDED) The engine as recited in claim 10, further comprising a combustor liner mounted sandwiched without fasteners between said diffuser housing and said combustor housing.
- 16. (WITHDRAWN) The engine as recited in claim 10, further comprising a turbine nozzle mounted without fasteners between said diffuser housing and said combustor housing.
- 17. (NEW) The static structure as recited in claim 3, wherein said combustor liner is entrapped between said diffuser housing and said combustor housing.
- 18. (NEW) The static structure as recited in claim 3, further comprising a forward cover mountable to said forward housing, said forward cover having an airflow passage which communicates airflow toward a lubrication passage defined within said forward housing.